



# Additional Monitor

29100023423300

Installation Instructions

I324097 Iss1

**For installation to a solid wall only!****Unpack and ensure all kit parts are present:**

- 2910002342900  
Display port male to HDMI female adaptor
- 2910002343100  
HDMI to HDMI Cable Male to Male 25M
- 2910002343000 VESA bracket
- 2910002342800 40" monitor

1. Agree with customer that the location on the layout drawing is correct.

2. Contact Crypton support/ relevant ASM if any queries.

3. Open and fit the VESA bracket (following the instructions provided with the bracket) and ensuring that the screen will not be a hazard.

4. Mount TV to bracket following bracket instructions. Connect monitor to a switched mains power source ensuring the cable doesn't create a trip hazard, obstruct doorways etc.


5. Remove rear panel from CCP800 cabinet to allow access to PC. Thread HDMI cable from top of cabinet following VGA cable route to back of PC.

6. Connect display port adaptor to HDMI cable and connect to display port on rear of PC, ensuring a gentle curve to relieve stress on the cable and port.


7. Cable tie to VGA cable inside cabinet.



8. Run Cable to back of monitor ensuring sufficient cable at monitor to allow for adjustment of viewing angle. Check the cable doesn't create a trip hazard, obstruct doorways etc.
9. Connect to HDMI port on monitor.
10. Right click on desktop and enter display settings.




11. Select Duplicate display and set the resolution to 1920 X 1080.



12. Confirm new settings and return to desktop.
13. Refit rear panel on CCP cabinet.

Continental Automotive Trading UK Ltd, 36 Gravelly Industrial Park, B24 8TA  
Tel: 0121 725 1230 | Email: sales@cryptontechnology.com | Web: www.cryptontechnology.com  
**Crypton - A brand of the Continental Corporation**



E & O E. The Company reserves the right to introduce improvements in design or specification without prior notice.

The sale of this product is subject to our standard terms, conditions and relevant product warranty.

